



JLEDS Limited,

Address: 27 Digby Road, IPSWICH, Suffolk. UK

E-mail: info@jleds.co.uk | Web: www.jleds.co.uk

Tel: +44-1473 719132

Product Catalogue 2025



Product Catalogue 2025

Anti-Glare Technology

Factory history

2011

Bridge design anti-glare AR111 developed

Anti-Glare

By fixing the COB under the aluminum bridge, the light is emitted on reflector, then reflect out of the lamp. With this indirect light output design, the UGR of our lamp is below 13.

Optical Design

Together with our professional optical design team, through the strict optical simulation, we create a round and even light distribution reflector.




5 beam angle options provide for our AR111, 8°/ 12°/ 24°/ 36°/ 48°

Heat Design

Our professional structure design team make heat simulation on all our bulbs before molding, which reduce the development time, and make sure the molding can be done in 1 time.

With the help from our molding department, the accuracy of our molding is leading the industry, achieve a 0:0 tolerant of aluminum bridge and heatsink, which provide an excellent heat conductivity


Plus the screws locking the bridge tight and heat conductive glue in between, the lumen lost of our reflector lamp is less than 10% in 3 years using.



2012

Full series of reflector lamps launched

We develop the full series of LED reflector lamp based on the design of LED AR111, including the AR70, MR16, PAR30... to meet the market requirement.




2013

Triac driver

As the market demand of dimming increases, and many of them are halogen replacement with Leading edge dimmer, we develop a Triac dimmable driver, that can work well in both **Leading edge and Trailing edge**.

Our clients worldwide help us improve our driver yearly, by send their dimmer to us. Our engineers work tight with our IC supplier, to make sure their IC and our circuit adapt different dimmers for worldwide market.

By two stages PFC design, our PF is over 0.995 (**PF>0.995**), and flickering free (**SVM<0.004 PST<0.042**), fit perfectly the new EU regulation in 2021.



2014

Housing for bulbs

In order to help our clients in different projects, our product range extend to housing, such as

**recessed,
trimless,
track,
surface mounted...**




2015

Dim to Warm series launch, with Triac dimming

With the latest Sharp dim to warm COB (red strip in middle), we develop the dim to warm series: AR111, AR70... It works well with Triac dimming system, and becomes the perfect choice for halogen replacement.

We develop the **red dot dim to warm COB** in 2017 since Sharp is no longer in LED business. By that COB and our optical design team, Vikled is the first company to develop **small beam angle dim to warm spotlight**, with **nice and even color mix**, 3 years ahead our competitors.





DIM TO WARM



2016

Tunable White series launch, with Bluetooth dimming

Vikled develop Bluetooth dimming driver, and Apps, to match with the latest tunable white COB. This system is adapted on our reflector series, module series, and track light series.



2018

Full series of dimming complete

With the increasing market demand of dimming, We provided more choices of dimming types, such as **DALI**, **0/10V**, **Zigbee**, **WiFi**, **Casambi**, offering by TCI, Tridonic, HEP, Actec, Powergear, Osram, Philips...



2019

Integrated Reflector series launch

Some of clients like our anti-glare reflector lamp, but prefer a simplicity housing or even the lamp is housing itself. Vikled developed an integrated reflector design to meet this demand.

Higher power than the AR111, more weight the heatsink, but smaller the size. The integrate reflector can be with track, surface mounted, recessed, and the shape is as simple as possible.



2020

Modules Series complete

Vikled develop the 50mm module on 2016, as many requirements of 50mm to replace MR16/ GU10 in market. Then we completed the whole series, **AR111 module**, **AR70 module** and **MR16 module**, both can work with reflector or lens.

All of our modules can be perfectly fitted inside our housing, a more lumen/power choice than the reflector lamp



2021

Extending housing series

With supports from our clients, we extend our product line to a much more range,

- over 45 types of recessed housings
 - over 40 types of surface mounted housing
 - over 20 types of track fixtures
- and new series, such as pendants, wall lamps, table lamps, floor lamps...

2022

New series of GU10 surface mounted housing



2023

New series of MR16 recessed fixture, with multiple optionof reflector and accessories




2024-5

...More to Come

AR111 Reflector



Strong Intensity





Pro P/N 245-AR111-G53 / 245-AR70-GU10

Power	Volt	Lumen	CCT	CRI	Beam Angle	Dimming	Base	PF	Beam Angle	Optional
12W	110/220V	800lm	2700K		8°					
15W	110/220V	1000lm	3000K	82	12°	Triac				
			4000K	92	24°	0-10V				
			2000-3100K	97	36°	DALI	GU10	0.99	30	Dim to WARM
			2700-5700K		48°	Wifimesh	G53			Tunable White
18W	110/220V	1200lm								



AR70 Reflector



Pro

P/N 247-AR70-GU10 / 247-AR70-B15D


Power	Volt	Lumen	CCT	CRI	Beam Angle	Dimming	Base	PF	Beam Spread	Optional
5W	110/220V	300lm	2700K 3000K 4000K	82 92 97	12° 24° 36°	Triac 0-10V DALI Wifimesh	GU10 B15d	0.99	100	Dim to WARM
7W	110/220V	400lm	2000-2700K							




PAR16 / PAR20



P/N 249-PAR16




P/N 249-PAR20




PAR30 / PAR38



P/N 2410-PAR30



P/N 2410-PAR38



Pro

Power	Volt	Lumen	CCT	CRI				PF		Optional
5W	110/220V	300lm								
7W	110/220V	400lm	2700K 3000K 4000K	82 92 97	12° 24° 36°	Triac	E27	0.9	100	
12W	110/220V	800lm	2000-3000K					0.95	30	
15W	110/220V	1000lm								

IP20

3 YEARS WARRANTY

A+ A



MR16 Reflector



Pro


P/N 2411 / MR16-5W / MR16-7W

Power	Volt	Lumen	CCT	CRI	Beam Angle	Control	Base	PF	Pack
5W	110/220V	250lm	2700K	82	12°	Triac	GU10	0.9	100
7W	110/220V	300lm	3000K	92	24°	DALI	GU5.3		
			4000K	97	36°	Wifimesh			



P/N 2412 / GU10-5W / GU10-7W

Module Lens



12°



24°



36°



15°




24°



36°





60°




Pro

P/N 2413 / MS50 / ML50


	Power	Volt	Lumen	CCT	CRI				PF		Optional
MS50	7W	110/220V	600lm	2700K 3000K 4000K	82 92 97	15° 24° 35° 60°	Triac 0-10V DALI Wifimesh	Plug	0.99	50	
ML50	12W	110/220V	900lm	2000-3100K 2700-5700K							




Module Reflector




P/N 2415-MA111



P/N 2415-MA70



P/N 2415-MA50



P/N 2415-MA35

	Power	Volt	Lumen	CCT	CRI				PF		Optional
MA35	7W	110/220V	420lm								
MA50	7W	110/220V	500lm	2700K							Dim to WARM
MA70	7W	110/220V	590lm	3000K	82	15°	Triac				
				4000K	92	24°	0-10V				
				2000-3000K	97	36°	DALI	Plug	0.99	50	
				2700-5700K		60°	Wifimesh				Tunable White
MA111	20W	110/220V	1800lm								
	25W	110/220V	2200lm								


IP20

3 YEARS WARRANTY

A+ A



MR16 Lens



Basic P/N 2417-GU5.3 / 2417-GU10

Power	Volt	Lumen	CCT	CRI				PF		Optional
5W	110/220V	450lm	2700K 3000K 4000K	82 92 97	24° 35° 45° 60°	Triac 0-10V DALI Wifimesh	GU10 GU5.3	0.9	100	 Dim to WARM
7W	110/220V	600lm	2000-3000K 2700-5700K							 Tunable White



P/N 2418-GU5.3 / 2418-GU10 Basic



Power	Volt	Lumen	CCT	CRI				PF		Optional
5W	110/220V	450lm	2700K 3000K 4000K	82 92 97	30° 60°	Triac 0-10V DALI Wifimesh	GU10 GU5.3	0.9	100	 Dim to WARM
7W	110/220V	600lm	2000-3000K 2700-5700K							 Tunable White



AR111 Opal



Basic P/N 2419

Power	Volt	Lumen	CCT	CRI				PF		Optional
15W	110/220V	1000lm	2700K	82	120°			0.99	30	 Dim to WARM
			3000K							
			4000K							
			2700-3000K							
			2700-5700K							 Tunable White


IP20

TUV Rheinland
CERTIFIED

3
YEARS
WARRANTY

A⁺
A

AR111 Lens



Basic P/N 2420-G53 / 2420-GU10

Power	Volt	Lumen	CCT	CRI				PF		Optional
15W	110/220V	1200lm	2700K	82	30° 60°			0.99	30	 Dim to WARM
			3000K							
			4000K							
			2700-3000K							
			2700-5700K							 Tunable White

IP20

TUV Rheinland
CERTIFIED


3
YEARS
WARRANTY

A⁺
A


Surface Mounted Housing






● **2421-11AA / 2421-11AB / 2421-11AC**
 Material: Aluminum / Iron
 Light Source: AR111 G53 / GU10
 Light Source Replaceable
 IP20 / Class 1/ CE
 Powder Injection Black / White



● **2421-11BA / 2421-11BB / 2421-11BC**
 Material: Aluminum / Iron
 Light Source: AR70
 Light Source Replaceable
 IP20 / Class 1/ CE
 Powder Injection Black / White







● **2422-11CA / 2422-11CB / 2422-11CC**
 Material: Aluminum / Iron
 Light Source: MR16 / PAR16 / Module Light
 Source Replaceable
 IP20 / Class 1/ CE
 Powder Injection Black / White




Surface Mounted Housing




- 2423-12AA / 2423-12AB / 2423-12AC
- Material: Aluminum / Iron
Light Source: AR111 G53 / GU10
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White




- 2424-12BA / 2424-12BB / 2424-12BC
- Material: Aluminum / Iron
Light Source: AR70 B15D / GU10
Light Source Replaceable
IP20 / Class 1/ CE
Powder Injection Black / White





- 2424-12CA / 2424-12CB / 2424-12CC
- Material: Aluminum / Iron
Light Source: GU10
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White





Surface Mounted Housing






- 2425-15BA / 2425-15BB / 2425-15BC
- Material: Aluminum / Iron
- Light Source: AR70
- Light Source Replaceable
- IP20 / Class 1/CE
- Powder Injection Black / White





- 2426-15CA / 2426-15CB / 2426-15CC
- Material: Aluminum / Iron
- Light Source: GU10
- Light Source Replaceable
- IP20 / Class 1/CE
- Powder Injection Black / White




Surface Mounted Housing



- 2427-14AR / 2427-14BR / 2427-14CR**
 Material: Aluminum / Iron
 Light Source: AR111 / AR70 / MR16
 Light Source Replaceable
 IP20 / Class 1/CE
 Powder Injection Black / White



- 2428-04AA**
 Material: Aluminum / Iron
 Light Source: AR111
 Light Source Replaceable
 IP20 / Class 1/CE
 Anodized Silver



- 2428-04AB**
 Material: Aluminum / Iron
 Light Source: AR111
 Light Source Replaceable
 IP20 / Class 1/CE
 Powder Injection White


Surface Mounted Fixture



2429-01AA

2429-01AB

2429-01AC




Material: Aluminum / Iron
Light Source: AR111 G53/GU10 / PLUG
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White



2430-03AA

2430-03AB

2430-03AC




Material: Aluminum / Iron
Light Source: AR111 G53 / GU10 / PLUG
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White



2429-15AR


Material: Aluminum / Iron
Light Source: AR111
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White




Surface Mounted Fixture




2431-32CA
 Material: Aluminum
 Light Source: GU10
 Wire: 2/3/4
 Light Source Replaceable
 IP20 / Class 1/CE
 Anodized Silver /
 Powder Injection Black / White





2431-32CB
 Material: Aluminum
 Light Source: GU10
 Wire: 2/3/4
 Light Source Replaceable
 IP20 / Class 1/CE
 Anodized Silver /
 Powder Injection Black / White




2432-31CA
 Material: Aluminum
 Light Source: GU10
 Wire: 2/3/4
 Light Source Replaceable
 IP20 / Class 1/CE
 Anodized Silver /
 Powder Injection Black / White




2432-31CB
 Material: Aluminum
 Light Source: GU10
 Wire: 2/3/4
 Light Source Replaceable
 IP20 / Class 1/CE
 Anodized Silver /
 Powder Injection Black / White



2431-32CD
 Material: Aluminum
 Light Source: GU10
 Wire: 2/3/4
 Light Source Replaceable
 IP20 / Class 1/CE
 Anodized Silver /
 Powder Injection Black / White




2432-31CD
 Material: Aluminum
 Light Source: GU10
 Wire: 2/3/4
 Light Source Replaceable
 IP20 / Class 1/CE
 Anodized Silver /
 Powder Injection Black / White




Surface Mounted Fixture




● **2433-32DA**
Material: Aluminum
Light Source: MR11
Wire: 2/3/4
Light Source Replaceable
IP20 / Class 1/CE
Anodized Silver /
Powder Injection Black / White




● **2433-24AA**
Material: Aluminum
Light Source: GU10
Wire: 2/3/4
Light Source Replaceable
IP20 / Class 1/CE
Anodized Silver /
Powder Injection Black / White




● **2434-11DA**
Material: Aluminum
Light Source: MR11
Wire: 2/3/4
Light Source Replaceable
IP20 / Class 1/CE
Anodized Silver /
Powder Injection Black / White




● **2434-11BA**
Material: Aluminum
Light Source: AR70
Wire: 2/3/4
Light Source Replaceable
IP20 / Class 1/CE
Anodized Silver /
Powder Injection Black / White




● **2433-32CA**
Material: Aluminum
Light Source: GU10
Wire: 2/3/4
Light Source Replaceable
IP20 / Class 1/CE
Anodized Silver /
Powder Injection Black / White




● **2433-15AR**
Material: Aluminum
Light Source: GU10
Wire: 2/3/4
Light Source Replaceable
IP20 / Class 1/CE
Anodized Silver /
Powder Injection Black / White





● **2434-11CA**
Material: Aluminum
Light Source: GU10
Wire: 2/3/4
Light Source Replaceable
IP20 / Class 1/CE
Anodized Silver /
Powder Injection Black / White




● **2433-32BA**
Material: Aluminum
Light Source: AR70
Wire: 2/3/4
Light Source Replaceable
IP20 / Class 1/CE
Anodized Silver /
Powder Injection Black / White







● **2434-14CA**
Material: Aluminum
Light Source: GU10
Wire: 2/3/4
Light Source Replaceable
IP20 / Class 1/CE
Anodized Silver /
Powder Injection Black / White



Recessed Fixture



● 2437-31AR / 2437-31BR / 2437-31CR
Material: Aluminum / Iron
Light Source: AR111
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White









● 2438-T037 / 2438-T034 / 2438-T031
● 2438-T038 / 2438-T035 / 2438-T032
Material: Aluminum / Iron
Light Source: AR111
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White / Anodize



Recessed Fixture







● **2439-32BA / 2439-32BB / 2439-32BC**
 Material: Aluminum / Iron
 Light Source: AR70
 Installation: Frame
 Light Source Replaceable
 IP20 / Class 1/CE
 Powder Injection Black / White




● **2440-32CA / 2440-32CB / 2440-32CC**
 Material: Aluminum / Iron
 Light Source: MR16
 Installation: Frame
 Light Source Replaceable
 IP20 / Class 1/CE
 Powder Injection Black / White

Recessed Fixture











2441-32DA / 2441-32DB / 2441-32DC

Material: Aluminum / Iron
Light Source: MR11
Installation: Frame
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White







2442-32CA / 2442-32CB / 2442-33CC



Material: Aluminum / Iron
Light Source: MR16
Installation: Trimless
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White



Recessed Fixture




- **2443-12AR / BR / CR / DR**
Material: Aluminum / Iron
Light Source: AR111 / AR70 / MR16 / MR11
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White




- **2444-22CR / 2444-22DR**
Material: Aluminum / Iron
Light Source: MR16 / MR11
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White

Recessed Fixture


- **2445-T583 / T560 / T559**
Material: Aluminum / Iron
Light Source: MR16
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White / Anodize




- **2445-T563 / T557 / T553**
Material: Aluminum / Iron
Light Source: MR16
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White / Anodize






- **2446-T585 / T558 / T550**
Material: Aluminum / Iron
Light Source: MR16
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White / Anodize




- **2446-T579 / T578**
Material: Aluminum / Iron
Light Source: MR16
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection White / Anodize




- **2445-T021**
Material: Aluminum / Iron
Light Source: MR16
Light Source Replaceable
IP20 / Class 1/CE
Anodize




Front Lock System
without Rotation











- **2446-T581 / T577 / T576**
Material: Aluminum / Iron
Light Source: MR16
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White / Anodize




- **2446-T586 / T555 / T551**
Material: Aluminum / Iron
Light Source: MR16
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White / Anodize



- **2445-T020**
Material: Aluminum / Iron
Light Source: MR16
Light Source Replaceable
IP20 / Class 1/CE
Anodize




- **2446-T556 / T552**
Material: Aluminum / Iron
Light Source: MR16
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection White / Anodize




Recessed Fixture




● **2447-13CR**
Material: Aluminum / Iron
Light Source: MR16
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White




● **2447-24CR**
Material: Aluminum / Iron
Light Source: MR16
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White




● **2448-14CR**
Material: Aluminum / Iron
Light Source: MR16
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White




● **2448-28CR**
Material: Aluminum / Iron
Light Source: MR16
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White




● **2447-T209 / T203 / T223**
Material: Aluminum / Iron
Light Source: MR16
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White / Nikkel




● **2447-23CR**
Material: Aluminum / Iron
Light Source: MR16
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White





● **2448-25CR**
Material: Aluminum / Iron
Light Source: MR16
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White




● **2448-42CR**
Material: Aluminum / Iron
Light Source: MR16
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White



● **2447-26CR**
Material: Aluminum / Iron
Light Source: MR16
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White




● **2448-42DR**
Material: Aluminum / Iron
Light Source: MR11
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White




Recessed Fixture



● **2450-41CR**
Material: Aluminum / Iron
Light Source: MR16
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White



● **2450-41DR**
Material: Aluminum / Iron
Light Source: MR11
Light Source Replaceable
IP20 / Class 1/CE
Powder Injection Black / White



Frosted Filter



Stripe Filter



Diamond Filter



Honey Comb



Brown



Gold



Chrome



White



Pearl Black

