




JLEDs
LED LIGHTING



LED PROFILE CATALOGUE

2020

Product Information



Aluminum Parameters


Material: Aluminum alloy 6063-TS.

Anodized Thickness: 10um.

Mounting: for Surface, Recessed, Suspended Mounting

Options, Floor, etc....

Colour: Aluminum Silver (Custom colour available, e.g).



Transparent

Frosted

Milky

60° clear
PMMA cover

Cover Parameters

Material: PC / PMMA


UL flammability of PC cover: UL94 V-2.

Standard Type: Transparent, Frosted, Milky

Special Types: 60° clear cover(PMMA).

Customized cover is available

Clip the cover into aluminum profile from the top.



Transparent	Frosted	Milky	60° clear cover
89%	72%	53%	90%
Light transmission	Light transmission	Light transmission	Light transmission

LED Profile Index



LED Surface Profile
Types: **APS1 – APS24**

Pages 4-15



LED Stair Profile
Types: **APST25 – APST26 – APST27**

Pages 15-16



LED Floor Profile
Types: **APF28 – APF29**

Page 17



LED Corner Profile
Types: **APC30 – APC38**

Pages 18-21



LED Recessed Profile
Types: **APR39 – APR51**

Pages 22-28



LED Wall Profile
Types: **APW52 – APW53 - APW54**

Pages 28-29



LED Pendant Profile
Types: **APP55 – APP61**

Pages 30-35



LED Waterproof Profile
Types: **APIP62 – APIP65**

Pages 36-37



LED Glass Shelf Profile
Types: **APG66-APG71**

Pages 38-40



LED Bendable Profile & Switches
Types: **APB72**

Pages 41

These are new styles of profile being manufactured all the time. If you cannot find one which meets your needs please contact us to see if there's a solution just for you.

Surface LED Aluminum Profile JL-APS1




SPECIFICATIONS

- > Match Flexible LED Strips: Up to 11mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W15 x H7mm
- > Length: 1M and 2M long.
- > Mounting: Surface

Standard accessories



Profile



PC cover




End caps



Plastic & Metal clip

Surface LED Aluminum Profile JL-APS2




SPECIFICATIONS

- > Match Flexible LED Strips: Up to 11mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W16 x H12mm
- > Length: 1M and 2M long.
- > Mounting: Surface.

Standard accessories




Profile



PC cover



End caps



Metal clip




Surface LED Aluminum Profile JL-APS3




SPECIFICATIONS

- > Match Flexible LED Strips: Up to 5mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W10 x H8mm
- > Length: 1M and 2M long.
- > Mounting: Surface

Standard accessories



Profile



PC cover



Endcaps




Mounting clip

Surface LED Aluminum Profile JL-APS4

SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W17 x H8mm
- > Length: 1M and 2M long.
- > Mounting: Surface




Standard accessories



Profile



PC cover



End caps
1 with hole, 1 without hole




Plastic & Metal clip



Surface LED Aluminum Profile JL-APS5

SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent PMMA cover.
- > Beam angle: 60 degree.
- > Dimension: W17 x H10mm
- > Length: 1M and 2M long.
- > Mounting: Surface




Standard accessories



Profile




Clear PMMA cover




End caps
1 with hole, 1 without hole



Plastic & Metal clip




Surface LED Aluminum Profile JL-APS6



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 20mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W23 x H10mm
- > Length: 1M and 2M long.
- > Mounting: Surface



Standard accessories



Profile




PC cover



End caps
1 with hole, 1 without hole



Mounting clip




Surface LED Aluminum Profile JL-APS7



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 16mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Milky PC cover.
- > Dimension: W21 x H21mm
- > Length: 1M and 2M long.
- > Mounting: Surface.



Standard accessories



Profile




Milky PC cover



End caps
1 with hole, 1 without hole



Metal clip




Surface LED Aluminum Profile JL-APS8



SPECIFICATIONS

- > Match Flexible LED Strips: Up to 16mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Milky PC cover.
- > Dimension: W22 x H20mm
- > Length: 1M and 2M long.
- > Mounting: Surface



Standard accessories




Profile




PC cover




End caps
1 with hole, 1 without hole



Mounting clip




Surface LED Aluminum Profile JL-APS9



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 16mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Milky PC cover.
- > Dimension: W22 x H20mm
- > Length: 1M and 2M long.
- > Mounting: Surface




Standard accessories




Profile




Milky PC cover



End caps
1 with hole, 1 without hole



Mounting clip




Surface LED Aluminum Profile JL-APS10



SPECIFICATIONS

- > Match Flexible LED Strips: Up to 16mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent PC cover.
- > Dimension: W20 x H14mm
- > Length: 1M and 2M long.
- > Mounting: Surface



Standard accessories



Profile



Transparent PC cover



Metal Endcaps
1 with hole, 1 without hole



Metal clip




Steel Rope(optional)

Surface LED Aluminum Profile JL-APS11



SPECIFICATIONS

- > Match Flexible LED Strips: Up to 16mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Milky PC cover.
- > Dimension: W20 x H20mm
- > Length: 1M and 2M long.
- > Mounting: Surface



Standard accessories



Profile



Milky PC cover



Metal Endcaps
1 with hole, 1 without hole




Metal clip




Steel Rope(optional)

Surface LED Aluminum Profile JL-APS12



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 16mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Milky PC cover.
- > Dimension: W20 x H20mm
- > Length: 1M and 2M long.
- > Mounting: Surface



Standard accessories




Profile



PC cover



Metal Endcaps
1 with hole, 1 without hole



Metal clip




Steel Rope(optional)

Surface LED Aluminum Profile JL-APS13



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 16mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Milky PC cover.
- > Dimension: W31 x H20mm
- > Length: 1M and 2M long.
- > Mounting: Surface or Pendant



Standard accessories



Profile



Milky PC cover



Metal Endcaps
1 with hole, 1 without hole



Metal clip




Steel Rope(optional)

Surface & Recessed LED Aluminum Profile JL-APS14/APR14



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 10mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W24 x H7mm
- > Length: 1M and 2M long.
- > Mounting: recessed, some use as surface.




Standard accessories




Profile




PC cover



End caps
1 with hole, 1 without hole



Metal Mounting clip




Surface LED Aluminum Profile JL-APS15



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W52 x H8mm
- > Length: 1M and 2M long.
- > Mounting: Surface.



Standard accessories



Profile



PC cover



End caps
1 with hole, 1 without hole



Bracket End caps




Surface LED Aluminum Profile JL-APS16



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W30 x H7mm
- > Length: 1M and 2M long.
- > Mounting: Surface



Standard accessories




Profile




PC cover



End caps
1 with hole, 1 without hole



Metal Mounting clip




Surface LED Aluminum Profile JL-APS17



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W20 x H8mm
- > Length: 1M and 2M long.
- > Mounting: Surface



Standard accessories



Profile




PC cover



End caps
1 with hole, 1 without hole




Mounting clip




Surface and Recessed LED Aluminum Profile JL-AP18S

Surface Profile JL-AP18S



SPECIFICATIONS

- > Match Flexible LED Strips: Up to 5mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W21 x H10mm
- > Length: 1M and 2M long.
- > Mounting: Surface



Installation




Recessed Profile JL-AP18R




SPECIFICATIONS

- > Match Flexible LED Strips: Up to 5mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W23 x H9mm
- > Length: 1M and 2M long.
- > Mounting: Surface




Installation




Standard accessories




Profile




PC cover





Endcaps
1 with hole, 1 without hole



Metal clip



Surface LED Aluminum Profile JL-APS19




SPECIFICATIONS

- > Match Flexible LED Strips: Up to 40mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W50 x H32mm
- > Length: 1M and 2M long.
- > Mounting: Surface / Pendant


Standard accessories



Profile



PC cover




Metal Endcaps
1 with hole, 1 without hole



Metal clip





Steel Rope(optional)



Connector(optional)
A) Direct
B) 90° inside
C) 90° outside

Surface LED Aluminum Profile JL-APS20




SPECIFICATIONS

- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W17 x H16mm
- > Length: 1M and 2M long.
- > Mounting: Surface

Standard accessories



Profile




PC cover





Endcaps
1 with hole, 1 without hole



Mounting clip




Surface LED Aluminum Profile JL-APS21



SPECIFICATIONS

- > Match Flexible LED Strips: Up to 20mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Milky PC cover.
- > Dimension: W26 x H23mm
- > Length: 1M and 2M long.
- > Mounting: Surface

Standard accessories




Profile



Milky PC cover




End caps




View from two sides

Surface LED Aluminum Profile JL-APS22



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Light up 3 directions.
- > Dimension: W41 x H17.4mm
- > Length: 1M and 2M long.
- > Mounting: Surface




Standard accessories



Profile




PC cover



End caps
1 with hole, 1 without hole



Mounting clip




Surface LED Aluminum Profile JL-APS23



SPECIFICATIONS


- > Match Flexible LED Strips: Double lines strip.
- > 220VAC driver can be put inside of the aluminum profile.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Frosted PC cover.
- > Light up and down.
- > Dimension: W77 x H35mm
- > Length: 1M and 2M long.
- > Mounting: Surface/Mirror




Standard accessories




Profile



Frosted PC cover



End caps



For Mirror

Surface LED Aluminum Profile JL-APS24



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 65mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W75 x H32mm
- > Length: 1M and 2M long.
- > Mounting: Surface or Pendant




Standard accessories



Profile



PC cover




Metal Endcaps
1 with hole, 1 without hole



Metal clip



Steel Rope(optional)




Connector(optional)
A) Direct
B) 90° inside
C) 90° outside

Stair LED Aluminum Profile JL-APST25



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 14mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > With lighting symbol optional
- > Dimension: W66 x H27mm
- > Length: 1M and 2M long.
- > Mounting: Stair



Standard accessories



Profile



PC cover




End caps




Lighting symbol

Stair LED Aluminum Profile JL-APST26



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > With lighting symbol optional
- > Dimension: W59 x H22mm
- > Length: 1M and 2M long.
- > Mounting: Stair



Standard accessories



Profile



PC cover



End caps



Lighting symbol




Stair LED Aluminum Profile JL-APST27



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 10mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > With lighting symbol optional
- > Dimension: W81 x H42mm
- > Length: 1M and 2M long.
- > Mounting: Stair



Standard accessories



Profile



PC cover



Anti-slip rubbers




End caps




Lighting symbol

Floor LED Aluminum Profile JL-APF28



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Milky PC cover.
- > Dimension: W26 x H26mm
- > Length: 1M and 2M long.
- > Mounting: Floor (seal to make waterproof)




Standard accessories



Profile



Milky PC cover



End caps
1 with hole, 1 without hole




Floor LED Aluminum Profile JL-APF29



SPECIFICATIONS


- > Match Flexible LED Strips: UP to 11mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Milky PC cover.
- > Dimension: W19 x H9mm
- > Length: 1M and 2M long.
- > Mounting: Floor



Standard accessories




Profile



Frosted PC cover



End caps
1 with hole, 1 without hole




Corner LED Aluminum Profile JL-APC30 and JL-APC31



SPECIFICATIONS


- > Match Flexible LED Strips: Double lines strip.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Milky PC cover.
- > Dimension: W30 x H30mm
- > Length: 1M and 2M only
- > Designed for use in cornice situations. For both straight and & 90° (L) connection. Use with plastic mounting clip
- > Mounting: Corner




Standard accessories



Profile




Milky PC cover



End caps
1 with hole, 1 without hole



Mounting clip




Connector A) Straight corner
B) inside corner
C) outside corner

Corner LED Aluminum Profile JL-APC32



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 10mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W16 x H16mm
- > Length: 1M and 2M long.
- > Designed for use in cornice situations. For both straight and & 90° (L) connection. Use with plastic mounting clip
- > Mounting: Corner



Standard accessories



Profile




PC cover



End caps
1 with hole, 1 without hole



Mounting clip






Connector A) Straight corner
B) inside corner
C) outside corner

Corner LED Aluminum Profile JL-APC33

SPECIFICATIONS


- > Match Flexible LED Strips: Up to 10mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W16 x H16mm
- > Length: 1M and 2M long.
- > Mounting: Corner




Standard accessories



Profile



PC cover



Endcaps
1 with hole, 1 without hole



Plastic Mounting Clip




Metal Mounting Clip

Corner LED Aluminum Profile JL-APC34

SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W19 x H19mm
- > Length: 1M and 2M long.
- > Mounting: Corner



Standard accessories



Profile



PC cover



End caps
1 with hole, 1 without hole



Metal clip




Corner LED Aluminum Profile JL-APC35



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W19 x H19mm
- > Length: 1M and 2M long.
- > Mounting: Corner



Standard accessories



Profile




PC cover




End caps
1 with hole, 1 without hole



Metal clip




Corner LED Aluminum Profile JL-APC36



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W19 x H19mm
- > Length: 1M and 2M long.
- > Mounting: Corner




Standard accessories



Profile



PC cover



End caps
1 with hole, 1 without hole



Metal clip




Corner LED Aluminum Profile JL-APC37



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W20 x H16mm
- > Length: 1M and 2M long.
- > Mounting: Corner



Standard accessories



Profile




PC cover




End caps
1 with hole, 1 without hole



Metal clip




Corner LED Aluminum Profile JL-APC38



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W31 x H9mm
- > Length: 1M and 2M long.
- > Mounting: Corner



Standard accessories



Profile




PC cover



End caps
1 with hole, 1 without hole



Mounting clip




Recessed LED Aluminum Profile JL-APR39



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 40mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W65 x H32mm
- > Length: 1M and 2M long.
- > Colour: Customized colour can be ordered.
- > Mounting: Recessed



Standard accessories




Profile




PC cover



Endcaps
1 with hole, 1 without hole



Metal clip



Connector A) Direct
B) 90° inside
C) 90° outside

Recessed LED Aluminum Profile JL-APR40




SPECIFICATIONS


- > Match Flexible LED Strips: Up to 65mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W90 x H32mm
- > Length: 1M and 2M long.
- > Colour: Customized colour can be ordered.
- > Mounting: Recessed



Standard accessories




Profile




PC cover



Endcaps
1 with hole, 1 without hole



Metal clip





Connector A) Direct
B) 90° inside
C) 90° outside

Recessed LED Aluminum Profile JL-APR41



SPECIFICATIONS

- > Match Flexible LED Strips: 2 lines of LED strip.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Frosted PC cover.
- > Dimension: W44 x H35mm
- > Length: 1M and 2M long only.
- > "Walk" along the wall in various directions. Support Straight Connection, L Connection.
- > Mounting: Recessed




Standard accessories



Profile




Frosted PC cover



End caps
1 with hole, 1 without hole




Metal clip



Connector A) Direct
B) go inside
C) go outside

Recessed LED Aluminum Profile JL-APR42




SPECIFICATIONS

- > Match Flexible LED Strips: Up to 20mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Milky PC cover.
- > Dimension: W70 x H30mm
- > Length: 1M and 2M long only.
- > Colour: Customized colour can be ordered.
- > Mounting: Recessed

Standard accessories



Profile



PC cover



End caps



View fitted into a wall




Recessed LED Aluminum Profile JL-APR43



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W25 x H20mm
- > Length: 1M and 2M long.
- > Mounting: Recessed



Standard accessories




Profile




PC cover



End caps
1 with hole, 1 without hole



Metal clip




Recessed LED Aluminum Profile JL-APR44



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 11mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W22 x H7mm
- > Length: 1M and 2M long.
- > Mounting: Recessed



Standard accessories




Profile



PC cover




End caps
1 with hole, 1 without hole



Recessed LED Aluminum Profile JL-APR45

SPECIFICATIONS

- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W24 x H8mm
- > Length: 1M and 2M long.
- > Mounting: Recessed



Standard accessories



Profile



PC cover




End caps
1 with hole, 1 without hole



Recessed LED Aluminum Profile JL-APR46

SPECIFICATIONS

- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent PMMA cover.
- > Beam Angle: 60 degree.
- > Dimension: W24 x H10mm
- > Length: 1M and 2M long.
- > Mounting: Recessed




Standard accessories




Profile



Clear PMMA cover



End caps
1 with hole, 1 without hole




Recessed LED Aluminum Profile JL-APR47



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W24 x H16mm
- > Length: 1M and 2M long.
- > Mounting: Recessed




Standard accessories




Profile



PC cover



Endcaps
1 with hole, 1 without hole




Recessed LED Aluminum Profile JL-APR48




SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W22 x H13mm
- > Length: 1M and 2M long.
- > Mounting: Recessed



Standard accessories




Profile



PC cover



Endcaps
1 with hole, 1 without hole




Recessed LED Aluminum Profile JL-APR49



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W28 x H11mm
- > Length: 1M and 2M long.
- > Mounting: Recessed



Standard accessories




Profile



PC cover



Endcaps
1 with hole, 1 without hole




Recessed LED Aluminum Profile JL-APR50



SPECIFICATIONS

- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W30 x H11mm
- > Length: 1M and 2M long.
- > Mounting: Recessed




Standard accessories




Profile




PC cover



Endcaps
1 with hole, 1 without hole



Metal clip




Recessed LED Aluminum Profile JL-APR51



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent PMMA cover.
- > Beam Angle: 60 degree.
- > Dimension: W24 x H10mm
- > Length: 1M and 2M long.
- > Mounting: Recessed



Standard accessories



Profile




Frosted PC cover

Wall LED Aluminum Profile JL-APW52



SPECIFICATIONS

- > Match Flexible LED Strips: Up to 10mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Milky PC cover.
- > Dimension: W44 x H23mm
- > Length: 1M and 2M long.
- > Mounting: Surface




Standard accessories



Profile



Milky PC cover



Endcaps



Mounting clip




Wall and Ceiling Edge LED Aluminum Profile JL-APW53



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W41 x H18mm
- > Length: 1M and 2M long.
- > Mounting: Wall decoration




Standard accessories



Profile




PC cover



End caps
1 with hole, 1 without hole



Mounting clip




Wall and Ceiling Edge LED Aluminum Profile JL-APW54




SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W45 x H35mm
- > Length: 1M and 2M long.
- > Mounting: Ceiling decoration.




Standard accessories




Profile



PC cover




End caps
1 with hole, 1 without hole



Pendant LED Aluminum Profile JL-APW55




Standard accessories



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: Diameter 24mm
- > Length: 1M and 2M long.
- > Mounting: Pendant/Wardrobe/Closet/Wall



Pendant LED Aluminum Profile JL-APW56




Standard accessories



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: Diameter 21mm
- > Length: 1M and 2M long.
- > Mounting: Pendant/Wardrobe/Closet/Wall



Pendant LED Aluminum Profile JL-APW57




Standard accessories



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 11mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: 18 x 17mm
- > Length: 1M and 2M long.
- > Mounting: Pendant



Common Accessories for APP55, APP56 and APP57




A1 Endcaps closet (AP55)



A3 Hanging fixture for closet



Wardrobe/Closet for AP55/AP56



A2



AP55 - A2 Angle adjustable wall clips



Wardrobe/Closet for AP55



A4-1 Hanging Rope with end cap




Suitable for AP55/AP56/AP57



A4-2 Electrical Hanging Rope



Suitable for AP55/AP56




A5 Wall mounting fixtures




Wall mounting bracket for AP55

Pendant LED Aluminum Profile APP58



SPECIFICATIONS

- > Match Flexible LED Strips: 3 lines of LED Strip.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Frosted PC cover.
- > Dimension: W55 x H80mm
- > Length: 1M, 1.5M or 2M long.
- > Mounting: Surface / Pendant



Standard accessories



Profile



Steel bar interconnection
for B5580



Frosted PC cover



Steel bar interconnection
for CSSBO




Metal End caps



Screws
Self Tapping M2.3x5



Steel Rope





Pendant LED Aluminum Profile APP59



SPECIFICATIONS


- > Match Flexible LED Strips: 3 lines of LED Strip.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Frosted PC cover.
- > Dimension: W70 x H55mm
- > Length: 1M and 2M long only.
- > Mounting: Surface/ Pendant



Standard accessories



Profile



Frosted PC cover




Metal End caps
Self Tapping Screws M2x5




Mounting Clip



Steel Rope



Connector
A) Direct
B) 90° inside
C) 90° outside



L shape






X shape



T shape




Pendant LED Aluminum Profile APP60



SPECIFICATIONS

- > Match Flexible LED Strips: 10 lines of LED Strip.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Frosted PC cover.
- > Dimension: W154 x H37mm
- > Length: 1M, 1.5M and 2M long.
- > Mounting: Surface/ Pendant



Hanging plate for AP60



Driver box for AP60




Steel rope for either hanging plate or the driver box belonging to AP60


Standard accessories



Profile



Frosted PC cover



Endcaps



Screws
Self Tapping M3x6




Pendant LED Aluminum Profile APP61




SPECIFICATIONS

- > Match Flexible LED Strips: 5 lines of LED Strip.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Frosted PC cover.
- > Dimension: W90 x H80mm
- > Length: 1M, 1.5M or 2M long.
- > Mounting: Surface/ Pendant




Standard accessories



Profile



Frosted PC cover




Metal Endcaps



Screws
SelfTapping M2.3x5




Steel Rope



Steel bar interconnection for AP61



Steel bar interconnection for AP61




Waterproof Plastic LED Profile APIP62



SPECIFICATIONS

- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: PMMA.
- > Dimension: W15 x H17mm.
- > Length: 1M and 2M long.
- > Mounting: Waterproof




Standard accessories



Plastic Profile



Metal Mounting Clip




Waterproof Aluminum & PMMA LED Profile APIP63




SPECIFICATIONS


- > Match Flexible LED Strips: Up to 17mm wide.
- > Material: PMMA+Aluminum.
- > Dimension: W25 x H19mm.
- > Length: 1M and 2M only.
- > Mounting: Waterproof.



Standard accessories




Plastic Profile




Aluminum Profile

Waterproof Plastic LED Profile APIP64




SPECIFICATIONS

- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: PC.
- > Cover: Frosted.
- > Dimension: W15 x H17mm.
- > Length: 1M and 2M long.
- > Mounting: Waterproofed.



Standard accessories




Plastic Profile




Mounting Clip



End caps
1 with hole, 1 without hole




Waterproof Plastic LED Profile APIP65



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 10mm wide.
- > Material: PC.
- > Cover: Frosted.
- > Dimension: W11 x 11mm.
- > Length: 1M and 2M long.
- > Mounting: Waterproof.



Standard accessories




Plastic Profile



Mounting Clip



End caps
1 with hole, 1 without hole




Glass Shelf LED Aluminum LED Profile APG66



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W6 x H19mm.
- > Length: 1M and 2M long.
- > Mounting: For 6mm glass shelf.



Standard accessories



Profile



PC cover



End caps




Glass Shelf LED Aluminum LED Profile APG67



SPECIFICATIONS


- > Match Flexible LED Strips: Up to 12mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: Transparent, Frosted, Milky PC cover.
- > Dimension: W8 x H19mm.
- > Length: 1M and 2M long.
- > Mounting: For 8mm glass shelf.




Standard accessories




Profile



PC cover



Endcaps




Glass Shelf LED Aluminum LED Profile APG68



SPECIFICATIONS

- > Match Flexible LED Strips: Up to 8mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: None
- > Dimension: W21 x H12mm.
- > Length: 1M and 2M long.
- > Mounting: For 8mm glass shelf edge.



Standard accessories



Profile




Glass Shelf LED Aluminum LED Profile APG69



SPECIFICATIONS


- > Match Flexible LED Strips: 8mm to 10mm wide.
- > 230VAC driver can be put inside of the aluminum profile.
- > Material: Anodized Aluminum Extrusion.
- > Cover: None.
- > Dimension: W36 x H61mm
- > Length: 1 and 2M long.
- > Mounting: Glass shelf profile with LED Driver.




Standard accessories



Profile



End caps




Glass Shelf LED Aluminum LED Profile APG70



SPECIFICATIONS

- > Match Flexible LED Strips: Up to 10mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Dimension: W58 x H59mm.
- > Length: 1M and 2M long.
- > Mounting: For 8mm glass shelf.




Standard accessories



Profile




Metal mounting bar



Metal end caps




Glass Shelf LED Aluminum LED Profile APG71




SPECIFICATIONS

- > Match Flexible LED Strips: Up to 8mm wide.
- > Material: Anodized Aluminum Extrusion.
- > Cover: None
- > Dimension: W12 x H21mm.
- > Length: 1M and 2M long.
- > Mounting: For 8mm glass shelf edge.



Standard accessories



Profile




Bendable LED Aluminum LED Profile APB72




SPECIFICATIONS

- > Match Flexible LED Strips: Up to 11mm wide.
- > Material: Anodized Aluminum Extrusion
- > Cover: Milky PC Cover.
- > Dimension: W18 x H6mm.
- > Length: 1M and 2M long.
- > Mounting: Surface



Bend Radius

Maximum Bend Radius
6" or 152.4mm




LED Sensor Switches

Micro Button switch: JL-SS-BS1



- 1.Dimension : 10 x 45mm
- 2.Input voltage : 12-24VDC.
- 3.Loading power : BA max.
- 4.Upon first press the light will turn on, the second press light will turn off and with a long press is utilizes the dimming function.
- 5.The function program can be custom made upon different needs, such as with or without memory feature, longer stay on, etc.....

Touch dimmer: JL-SS-TD2



Touch switch ON/OFF + free dimming

- 1.Dimension : 10 x 43mm.
- 2.Input voltage : 12-24VDC.
- 3.Loading power : 8A max.
- 4.Quick touch : Switch ON/OFF.
- 5.Long touch : Dimming.

Motion Sensor with light sensor switch: JL-SS-LSS-2



- 1.Light is OFF during the day time. The light comes ON when a human passes within it's detection range at night.
- 2.Dimension : 10 x 57mm.
- 3.Input voltage : 12-24VDC.
- 4.Loading power : BA max.
- 5.Standby Time : About 40 seconds.
- 6.Detection Range : < 2 metres.

LED Flexi Strip

Standard Range



SMD3528



SMD2835



SMD5050

High Brightness Range



SMD2216



SMD3014



SMD5630 & SMD5730

Dual White (CCT)



CCT Separate chip



SMD3527 Dual chip



SMD5050 Dual chip

RGB



RGB



RGB+W



RGB+W(4in1)



RGBWY(5in1)

Specials



Slim 3.5mm & 5mm width



Adjustable "S" type



Bendable

Specials



Side View/SMD335



IP65-No Spot



One Cut Series

Specials



Full Colour CRI 95



Constant Current



Full Beam

LED Flexi Strip and Accessories


Wider Flexi



Double row



Triple row



Four rows

Waterproof Flexi strip



IP54



IP65




IP67



IP68

Specials




Neon Strip



Mains Strip 230V



LED Neon Flex 24VDC & 230V



LED Controllers



WIFI Systems



IR-Contollers



RGB & CCT systems

LED Drivers



Various types of LED Drivers, Constant Current & Constant Voltage

LED Drivers Official Distributor




Meanwell drivers, 12VDC-24VDC, from 20W up to 600W

Profiles



Many types of LED Aluminum Profiles supplied in 1M, 2M & 3M lengths



JLEDS Ltd
27 Digby Road
Ipswich, Suffolk, IP4 3NB. UK

Tel: 01473 719132
Email: sales@jleds.co.uk
Website: www.jleds.co.uk

Company Registered in England: Co. number 09911297